

## THE UNITED STATES PATENT AND TRADEMARK OFFICE

Michael Wayne Graham, et al.

**Examiner:** 

Unassigned

Serial No:

09/646,807

**Art Unit:** 

Unassigned

Filed:

Dec. 5, 2000

**Docket:** 

11535Z

For:

**CONTROL OF GENE EXPRESSION** 

Dated:

**September 12, 2002** 

Assistant Commissioner for Patents United States Patent and Trademark Office Washington, D.C. 20231

## INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. §§ 1.97 and 1.98, it is requested that the following references, which are also listed on the attached Form PTO-1449, be made of record in the above-identified case.

- 1. Fire, A., Xu, S.Q., Montgomery, M.K. Kostas, S.A. Driver, S.E. and Mello, C.C. (1998), "Potent and Specific Genetic Interference by Double-Standard RNA in *Caenorhabditis elegans*". Nature, 391 (6669): 806-811;
- 2. Fire, A., Xu, S.Q., Montgomery, M.K. Kostas, S.A. Timmons, L. Tabara, H. Driver, S.E. and Mello, C.C. (1999), "Genetic Inhibition by Double-Standard RNA". WO 99/32619 (first priority date 23 December, 1997);

CERTIFICATE OF MAILING VNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231 on September 12, 2002.

Dated: September 12, 2002

Midhelle Mustafa

- 3. Garrick, D., Fiering, S., Martin, D.I. and Whitelaw, E. (1998), "Repeat-Induced Gene Silencing in Mammals", Nature Genetics **18**(1): 56-59.
- 4. Dorer, D.R. and Henikoff, S. (1997) Transgene Repear Arrays Interact with Distant Heterochromatin and Cause Silencing *in cis* and trans". Genetics 147(3): 1181-1190.
- 5. Pal-Bhadra, M., Bhadra U. and Birchler, J.A. (1997) "Cosuppression in Drosophila: Gene Silencing of Alcohol Dehydrogenase by White-Adh Tarnsgenes is Polycomb Dependent". Cell 90(3): 385-387.
- Bingham, P.M. (1997) "Cosuppression Comes to the Animals". <u>Cell</u> 90(3): 385-387;
   (This review article is related to the study described in Pal-Bhadra et al., 1997.)
- 7. Cameron, F.H. and Jennings, P.A. (1991) "Inhibition of Gene Expression by a Short Sense Fragment". Nucleic Acids Research 19(3): 469-475;
- 8. Noonberg, S.H. and Hunt, A.C. (1995), "Antisense Oligonucleotide Generators. WO 95/10607.
- 9. Ohshima, A., Inouye, S. and Inouye M. (1998), "Over expression of Single-Stranded Molecules". U.S. 5,714,323, published February 3, 1998);
- 10. O'Reilly, D. and Thomas, C.J.R. (1998) "Improvements Relating to the Specificity of Gene Expression", WO 98/44138.
- 11. Scanlon, K.J. (1996) "Modulation of Drug Radiation Resistant Genes". WO 96/08558.
- 12. Baumgarten, J., et al. (1993), "Pseudorabies Virus Polynucleotides and their Use in the Production of Virus-Resistant Eucaryotic Cells". EP 0560156, together with its English equivalent, United States Patent No. 5,798,265, dated August 25, 1998, issued to Springer, et al.;
- 13. Engdahl, H.M., et al. (1997), "A Two Unit Antisense RNA Cassette Test System for Silencing of Target Genes", <u>Nucleic Acids Research</u> **25**(16): 3218-3227;
- 14. Katsuki, M., et al. (1988), "Conversion of Normal Behavior to Shiverer by Myelin Basic Protein Antisense cDNA in Transgenic Mice", Science **241**(4865): 593-595;

- 15. Kook, Y.H., et al. (1994), "The Effect of Antisense Inhibition of Urokinase Receptor in Human Squamous Cell Carcinoma on Malignancy", <u>The EMBO Journal</u> 13(17): 3983-3991;
- 16. Lee, R.C., et al. (1993), The C. elegans Heterochronic Gene lin-4 Encodes Small RNAs with Antisense Complementarity to lin-14". Cell 75: 843-854;
- 17. Moroni, M.C., et al. (1992) EGF-R Antisense RNA Blocks Expression of the Epidermal Growth Factor Receptor and Suppresses the Transforming Phenotype of a Human Carcinoma Cell Line. <u>Journal of Biological Chemistry</u> **267**(4): 2714-2722;
- 18. Nellen, W. and Lichtenstein C. (1993), "What Makes a Messenger RNA Anti-Sensitive?" <u>Trends in Biochemical Sciences</u> **18**(11): 419-423;
- 19. Anderson, W.F. (1998), "Human Gene Therapy", Nature 392 (suppl.): 25-30;
- 20. Kappel, C.A., et al. (1992), "Regulating Gene Expression in Transgenic Animals", <u>Current Opinion in Biotechnology</u> 3(5): 548-553;
- 21. Touchette, N. (1996), "Gene Therapy Not Ready for Prime Time (News), Nature Medicine 2(1): 7-8;
- 22. Verma, I.M., et al. (1997), "Gene Therapy Promises, Problems and Prospects", Nature **389** (6648): 239-242;
- 23. Viville, S. (1997), "Mouse Genetic Manipulation Via Homologous Recombination" In 'Transgenic animals. Generation and Use'. <u>Houdebine</u>, <u>L.M.</u>, ed. <u>Harwood Academic Publishers</u>, France 307-321;
- 24. Wall, R.J. (1996) "Transgenic Livestock: Progress and Prospects for the Future", Theriogenology 45(1): 57-68;
- 25. Chua, N.H., et al. (1997) "Suppression of Plant Gene Expression Using Processing-Defective RNA Constructs", United States Patent No. 5,686,649;
- 26. Dougherty, W.G., et al. (1996), "Production of Virus Resistant Plants", United States Patent No. 5,583,021;
- 27. Jorgensen, R.A., et al. (1991), "GeneticEngineering of Novel Plant Phenotypes", United States Patent No. 5,034,323;
- 28. Jorgensen, R.A., et al. (1993), "Genetic Engineering of Novel Plant Phenotypes", United States Patent No. 5,231,020;

- 29. Jorgensen, R.A., et al. (1994) "Genetic Engineering of Novel Plant Phenotypes", United States Patent No. 5,283,184;
- 30. Baszczynski, C.L., et al. (1998), "Targeted Manipulation of Herbicide-Resistance Genes in Plants", International Application No. WO 99/25853;
- 31. Baulcombe, D.C., et al. (1987), "Modification of Plant Viruses of their Effects", European Patent No. EP 0242016;
- 32. Baulcombe, D.C., et al. (1998), "Methods and Means for Gene Silencing Materials and Methods", International Application No. WO 98/36083;
- 33. Baulcombe, D.C., et al. (1999), "Gene Silencing Materials and Methods", International Application No. WO 99/15682;
- 34. Bedbrook, J.R., et al. (1997), "Delayed Ripening Tomato Plants", International Application No. WO 97/01952;
- 35. Bird, C.R., et al. (1993), "Co-ordinated Inhibition of Plant Gene Expression", International Application No. WO 93/23551;
- 36. Conkling, M.A., et al. (1993), "Nematode-Resistant Transgenic Plants", Interantional Application No. 94/17194;
- 37. Dougherty, W.G., et al. (1993), "Production of Viral Resistant Plants Via Introduction of Untransferable Plus Sense Viral RNA", International Application No. WO 93/17098;
- 38. Grierson, D., et al. (1998), "Gene Silencing", International Application No. WO 98/53083;
- 39. Jorgensen, R.A., et al. (1990), "Genetic Engineering of Novel Plant Phenotypes", European Application No. WO 90/11682;
- 40. Poulsen, P. (1998), "Antisense Intron Inhibition of Starch Branching Enzyme Expression", European Application No. WO 98/37213;
- 41. Angell, S.M., et al. (1997), "Consistent Gene Silencing in Transgenic Plants Expressing a Replicating Potato Virus X RNA", <u>The EMBO Journal</u> **16**(12): 3675-3684;
- 42. Assaad, F.F., et al. (1993), "Epigenetic Repeat-Induced Gene Silencing (RIGS) in Arabidopsis. Plant Molecular Biology 22(6): 1067-1085;

- 43. Balandin, T., et al. (1997), "Silencing of a β-1-3-glucanase Transgene is Overcome During Seed Formation", Plant Molecular Biology 34(1) 125-137;
- 44. Baulcombe, D.C. (1996) RNA as a Target and an Initiator of Post-Transcriptional Gene Silencing in Transgenic Plants". <u>Plant Molecular Biology</u> **32**(1-2): 79-88;
- 45. Cogoni, C., et al. (1994), "Suppression of Gene Expression by Homologous Transgenes", Antonie Van Leeuwenhoek 65(3): 205-209;
- 46. Cogoni, C., et al. (1996), "Transgene Silencing of the al-1 Gene in Vegetative Cells of Neurospora is Mediated by a Cytoplasmic Effector and Does not Depend on DNA-DNA Interactions or DNA Methylation", The EMBO Journal 15(12): 3153-3163;
- 47. Cogoni, C., et al. (1997), "Isolations of Quelling-Defective (qde) Mutants Impaired in Posttranscriptional Transgene-Induced Gene Silencing in Neurospora Crassa". <u>Proceeding of the National Academy of Sciences of the United States of America</u> 94(19): 10233-10238;
- 48. Courtney-Gutterson, et al. (1994), "Modification of Flower Color in Florist's Chrysanthemum: Production of White-flowering Variety Through Molecular Genetics", <u>Biotechnology</u> 12(3): 268-271;
- 49. de Carvalho, F., et al. (1992), "Suppression of β-1,3-glucanase Transgene Expression in Homozygous Plants", <u>The EMBO Journal</u> 11(7): 2595-2602;
- 50. de Carvalho Niebel, F. et al. (1995), "Post-transscriptional Cosuppression of β-1,3-glucanase Genes Does Not Effect Acculmulation of Transgene Nuclear mRNA", The Plant Cell 7(3): 347-358;
- 51. De Lange, P., et al. (1995), "Suppression of Flavonoid Flower Pigmentation Genes in Petunia Hybrida by the Introduction of Antisense and Sense Genes", Current Topics in Microbiology and Immunology 197: 57-75;
- 52. Depicker, A., et al. (1997), "Post-transcriptional Gene Silencing in Plants", <u>Current Opinion in Cell Biology</u> 9(3): 373-382;
- 53. English, J.J., et al. (1996), "Suppression of Virus Accumulation in Transgenic Plants Exhibiting Silencing of Nuclear Genes", The Plant Cell 8(2): 179-188;
- 54. Hamilton, A.J., et al. (1998), "A Transgene with Repeated DNA Causes High Frequency, Post-Transcriptional Suppression of ACC-Oxidase Gene Expression in Tomato", The Plant Journal 15(6): 737-746;

- 55. Jorgensen, R. (1990), "Altered Gene Expression in Plants Due to Trans Interactions Between Homologous Genes", <u>Trends in Biotechnology</u> **8**(12): 340-344;
- 56. Jorgensen, R.A., et al. (1996), "Chalcone Synthase Cosuppression Phenotypes in Petunia Flowers: Comparison of Sense vs. Antisense Constructs and Single-Copy vs. Complex T-DNA Sequences", <u>Plant Molecular Biology</u> 31(5): 957-973;
- 57. Knoester, M., et al. (1997), "Modulation of Stress-Inducible Ethylene Biosynthesis by Sense and Antisense Gene Expression in Tobacco", <u>Plant Science</u> **126**(2): 173-183;
- 58. Kunz, C., et al. (1996), "Developmentally Regulated Silencing and Reactivaation of Tobacco Chitinase Transgene Expression", The Plant Journal 10(3): 437-450;
- 59. Lee, K.Y., et al., (1997), "Post-transcriptional Gene Silencing of ACC Synthase in Tomato Results from Cytoplasmic RNA Degradation", <u>The Plant Journal</u> 12(5): 1127-1137;
- 60. Lindbo, J.A., et al., (1993), "Induction of a Highly Specific Antiviral State in transgenic Plants Implications for Regulatio of Gene Expression and Virus Resistance", The Plant Cell 5(12): 1749-1759;
- 61. Matzke, M.A., et al. (1998), "Epigenetic Silencing of Plant Transgenes as a Consequence of Diverse Cellular Defence Responses", Cellular and Molecular Life Sciences 54(1): 94-103;
- 62. Mueller, E., et al. (1995), "Homology-dependent Resistance Transgenic Virus Resistance in Plants Related to Homology-Dependent Gene Silencing", <u>The Plant Journal</u> 7(6): 1001-1013;
- 63. Meyer, P. (1996), "Repeat-induced Gene Silencing—Common Mechanisms in Plants and Fungi", <u>Biological Chemistry Hoppe-Seyler</u> 377(2): 87-95;
- 64. Napoli, C., et al. (1990), "Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible So-Suppression of Homologous Genes in trans, The Plant Cell **2**(4): 279-289;
- 65. Palauqui, J.C., et al. (1997), "Systemic Acquired Silencing: Transgene-specific Post-transscriptional Silencing is Transmitted by Grafting from Silenced Stocks to Non-silenced scions, <u>The EMBO Journal</u> 16: 4738-4745;
- 66. Pang, S.Z., et al. (1997), "Nontarget DNA Sequences Reduce the Transgene Length Necessary for RNA-mediated Tospovirus Resistance in Transgenic

- Plants", <u>Proceedings of the National Academy of Sciences of the United</u> States of America 94(15): 8261-8266;
- 67. Park, Y.D., et al. (1996), "Gene Silencing Mediated by Promotor Homology Occurs at the Level of Transcription and Results in Meiotically Heritable Alterations in Methylation and Gene Activity", The Plant Journal 9(2): 183-194;
- 68. Que, Q., et al. (1998), "Homology-based Control of Gene Expression Patterns in Transgenic Petunia Flowers", <u>Developmental Genetics</u> **22**(1): 100-109;
- 69. Romano, N., et al. (1992), "Quelling: Transient Inactivation of Gene Expression in Neurospora Crassa by Transformation with Homologous Sequences", Molecular Microbiology 6(22): 3343-3353;
- 70. Sadiq, M., et al. (1994), "Developmental Regulation of Antisense-mediated Gene Silencing in Dictyostelium", <u>Antisense Research & Development</u> 4(4): 263-267;
- 71. Sijen, T., et al. (1996), "RNA-mediated Virus Resistance Role of Repeated Transgenes and Delineation of Targeted Regions", <u>The Plant Cell</u> 8(12): 2277-2294;
- 72. Singer, M.J., et al. (1995), "Genetic and Epigenetic Inactivation of Repetitive Sequences in Neurospora Crassa: RIP, DNA Methylation, and Quelling", Current Topics in Microbiology and Immunology 197: 165-177;
- 73. Smyth, D.R. (1997), "Gene Silencing: Cosuppression at a Distance", <u>Current Biology</u> 7(12): R793-795;
- 74. Stam, M., et al. (1997), "The Silence of Genes in Transgenic Plants", Annals of Botany 79(1): 3-12;
- 75. Tanzer, M.M., et al. (1997), "Characterization of Post-Transcriptionally Suppressed Transgene Expression that Confers Resistance to Tobacco Etch Virus Infection in Tobacco", The Plant Cell 9(8): 1411-1423;
- 76. Van der Krol, et al. (1990), "Inhibition of Flower Pigmentation by Antisense CHS Genes: Promoter and Minimal Sequence Requirements for the Antisense Effect", <u>Plant Molecular Biology</u> **14**(4): 457-466;
- 77. Van der Krol, et al. (1990), "Flavonoid Genes in Petunia: Addition of a Limited Number of Gene Copies May Lead to a Suppression of Gene Expression", The Plant Cell 2(4): 291-299;

- 78. Vacheret, H. Nussaume, et al. (1997), "A Transciptionally Active State is Required for Post-Transcriptional Silencing (Cosuppresion) of Nitrate Reductase Host Genes and Transgenes", <u>The Plant Cell</u> 9(8): 1495-1504;
- 79. Lisziewicz et al. (1993) "Inhibition of human immunodeficiency virus type 1 replication by regulated expression of a polymeric Tat activation response RNA decoy as a strategy for gene therapy in AIDS". Proceedings of the National Academy of Sciences of the United States of America 90: 8000-8004;
- 80. Sun et al. (1995) "Resistance to human immunodeficiency virus type 1 infection conferred by transduction of human peripheral blood lymphocytes with ribozyme, antisense, or polymeric transactivation response element constructs". Proceedings of the National Academy of Sciences of the United States of America 92: 7272-7276;
- 81. Gervaix et al. (1997) "Multigene antiviral vectors inhibit diverse human immunodeficiency virus type 1 clades". <u>Journal of Virology</u> **71(4)**: 3048-3053;
- 82. Bevec et al. (1994) "Constitute expression of chimeric *Neo*-Rev response element transcripts suppresses HIV-1 replication in human CD4<sup>+</sup> T lymphocytes". Human Gene Therapy 5: 193-201;
- 83. Sulleneger et al. (1990) "Overexpression of TAR sequences rendered cells resistant to human immunodeficiency virus replication". Cell 63: 601-608;
- 84. Dorer et al. (1994) "Expansion of transgene repeats cause heterochromatin formation and gene silencing in Drosophila". Cell 77: 993-1002;
- 85. Lee et al. (1994) "Inhibition of human immunodeficiency virus type 1 in human T cells by a potent Rev response element decoy consisting of 13-nucleotide minimal Rev-binding domain". <u>Journal of Virology</u> **68(12)**: 8254-8264;
- 86. Chuah et al. (1994) "Inhibition of human immunodeficiency virus Type-1 by retroviral vectors expressing antisense-TAR". <u>Human Gene Therapy</u> 5: 1467-1475;
- 87. Sullenger et al. (1991) "Analysis of trans-acting response decoy RNA-mediated inhibition of human immunodeficiency virus type 1 transactivation". <u>Journal of Virology</u> **65(12)**: 6811-6816;
- 88. Napoli, Carolyn et al., "Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible Co-Suppression of Homologous Genes in trans", The Plant Cell, 2: 279-289 (1990);

- 89. Lindbo, John et al., "Induction of a Highly Specific Antiviral State in Transgenic Plants: Implications for Regulation of Gene Expression and Virus Resistance", The Plant Cell, 5: 1749-1759 (1993);
- 90. Park, Y. et al., "Gene silencing mediated by promoter homology occurs at the level of transcription and results in meiotically heritable alterations in methylation and gene activity", The Plant Journal, 9: 183-194 (1996);
- 91. Waterhouse, Peter et al., "Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA", <u>Plant Biology</u>, 95: 13959-13964 (1998);
- 92. Smith, Neil et al., "Total Silencing by intronspliced hairpin RNAs", Nature, 407: 319-320 (2000);
- 93. Katsuki, Motoya et al., "Conversion of Normal Behavior to Shiverer by Myelin Basic Protein Antisense cDNA in Transgenic Mice", Science, 241: 593-595 (1988);
- 94. Moroni, Maria Cristina et al., "EGF-R Antisense RNA Blocks Expression of the Epidermal Growth Factor Receptor and Suppresses the Transforming Phenotype of a Human Carcinoma Cell Line", The Journal of Biological Chemistry, 267(5): 2714-2722 (1992);
- 95. Kook, Yoon Hoh et al., "The effect of antisense inhibition of urokinase receptor in human squamous cell carcinoma on malignancy", <u>The EMBO Journal</u>, 13(17): 3983-3991 (1994);
- 96. Palauqui, Jean-Christophe et al., "Systemic acquired silencing: transgene-specific post-transcriptional silencing is transmitted by grafting from silenced stocks to non-silenced scions", <u>The EMBO Journal</u>, <u>16(15)</u>: 4738-4745 (1997);
- 97. Palauqui, Jean-Christophe et al., "Transgenes are dispensable for the RNA degradation step of cosuppression", <u>Plant Biology</u>, <u>95</u>: 9675-9680 (1998);
- 98. Voinnet, Olivier et al., "Systemic Spread of Sequence-Specific Transgene RNA Degradation in Plants Is Initiated by Localized Introduction of Ectopic Promoterless DNA", Cell, 95: 177-187 (1998);
- 99. Fire, Andrew et al., "Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*", Nature, 391: 806-811 (1998);

- 100. Wianny, Florence et al., "Specific interference with gene function by double-stranded RNA in early mouse development", Nature Cell Biology, 2: 70-75 (2000);
- 101. Tuschl, Thomas et al., "Targeted mRNA degradation by double-stranded RNA in vitro", Genes & Development, 13: 3191-3197 (1999);
- 102. Hamilton, Andrew J. et al., "A Species of Small Antisense RNA in Posttranscriptional Gene Silencing in Plants", <u>Science</u>, <u>286</u>: 950-952 (1999);
- 103. Zamore, Phillip et al., "RNAi: Double-Stranded RNA Directs the ATP-Dependent Cleavage of mRNA at 21 to 23 Nucleotide Intervals", Cell, Vol. 101: 25-33 (2000);
- 104. Hammond, Scott M. et al., "An RNA-directed nuclease mediates post-transcriptional gene silencing in *Drosophila* cells", <u>Nature</u>, <u>404</u>: 293-296 (2000);
- 105. Caplen, Natasha J. et al., "dsRNA-mediated gene silencing in cultured *Drosophila* cells: a tissue culture model for the analysis of RNA interference", Gene, 252: 95-105 (2000);
- Cogoni, Carlo et al., "Gene silencing in Neurospora crassa requires a protein homologous to RNA-dependent RNA polymerase", <u>Nature</u>, <u>399</u>: 166-169 (1999);
- 107. Cogoni, Carlo et al., "Posttranscriptional Gene Silencing in *Neurospora* by a RecQ DNA Helicase", <u>Science</u>, <u>286</u>: 2342-2344 (1999);
- 108. Dalmay, Tamas et al., "An RNA-Dependent RNA Polymerase Gene in *Arabidopsis* Is Required for Posttranscriptional Gene Silencing Mediated by a Transgene but Not by a Virus", <u>Cell</u>, 101: 543-553 (2000);
- 109. Brigneti, Gianinna et al., "Viral pathogenicity determinants are suppressors of transgene silencing in *Nicotiana benthamiana*", <u>The EMBO Journal</u>, <u>17(22)</u>: 6739-6746 (1998);
- 110. Tabara, Hiroaki et al., "The rde-1 Gene, RNA Interference, and Transposon Silencing in C. elegans", Cell, 99: 123-132 (1999);
- Domeier, Mary Ellen et al., "A Link Between RNA Interference and Nonsense-Mediated Decay in Caenorhabditis elegans", <u>Science</u>, <u>289</u>: 1928-1930 (2000);

112. Smardon, Anne et al., "EGO-1 is related to RNA-directed RNA polymerase an functions in germ-line development and RNA interference in C. elegans", Current Biology, 10(4): 169-178 (2000);

113. Wassenegger, Michael et al., "Signalling in gene silencing", <u>Elsevier Science</u>, 4(6): 207-209 (1999);

114. Ding, Shou Wei, "RNA silencing", <u>Current Opinion in Biotechnology</u>, <u>11</u>: 152-156 (2000);

115. Marx, Jean, "Interfering With Gene Expression", <u>Science</u>, <u>288</u>: 1370-1372 (2000); and

116. Gura, Trisha, "A silence that speaks volumes", Nature, 404: 804-808 (2000).

Copies of the above-cited references were previously submitted in the parent application, Serial No. 09/100,812, in Information Disclosure Statements dated December 20, 2000; June 20, 2002; and September 3, 2002.

Consideration of this Information Disclosure Statement is respectfully requested, since the art may be material to the examination of the present application as defined under 37 C.F.R. §1.56.

Inasmuch as this Information Disclosure Statement is being submitted in accordance with the schedule set out in C.F.R. §1.97(b), no statement or fee is required.

Respectfully submitted,

Frank S. DiGiglio Registration No. 31,346

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343 FSD:ahs

INFORMATION DISCLOSURE STATEMENT Docket No. <sup>1</sup> 6 202Under 37 CFR 1.97(b) or 1.97(c)) 11535Z Iichael Wayne Graham, et al. Serial No. Filing Date Examiner Group Art Unit Unassigned 09/646,807 Dec. 5, 2000 Unassigned Title: CONTROL OF GENE EXPRESSION Address to: **Assistant Commissioner for Patents** Washington, D.C. 20231 37 CFR 1.97(b) The Information Disclosure Statement submitted herewith is being filed within three months of the filing of a national application; within three months of the date of entry of the national stage as set forth in 37 CFR 1.491 in an international application; or before the mailing date of a first Office Action on the merits, whichever event occurs last. 37 CFR 1.97(c) The Information Disclosure Statement submitted herewith is being filed after three months of the filing 2. of a national application, or the date of entry of the national stage as set forth in 37 CFR 1.491 in an international application; or after the mailing date of a first Office Action on the merits, whichever occurred last but before the mailing date of either: a Final Action under 37 CFR 1.113, or 1. 2. a Notice of Allowance under 37 CFR 1.311, whichever occurs first. Also submitted herewith is: a certification as specified in 37 CFR 1.97(e); OR the fee set forth in 37 CFR 1.17(p) for submission of an Information Disclosure Statement under 37 CFR 1.97(c).

Copyright 1996 Legalsoft

TRANSMITTAL OF INFORMATION DISCLOSURE STATEMENT Officer 37 CFR 1.97(b) or 1.97(c))			Docket No. 11535Z
In Re Application Of: Michael Wayne Graham, et al.			
Serial No. 6 19/646,807	PARK OFFICE Filing Date Dec. 5, 2000	Examiner Unassigned	Group Art Unit Unassigned
Title: CONTROL OF GENE EXPRESSION  Payment of Fee  (Only complete if Applicant elects to pay the fee set forth in 37 CFR 1.17(p))			
as described belo  Charge the Credit any Charge and Certificate of The	(Only complete if Applicant elects of the complete is attas and maissioner is hereby authorized ow. A duplicate copy of this sheet the amount of yoverpayment.  In any additional fee required.  Transmission by Facsimile*  document and authorization to charge any facsimile transmitted to the United lemark Office (Fax. No.  Signature  Name of Person Signing Certificate  y only be used if paying by  Fignation	to charge and credit Deposit Account is enclosed.  Certificate of Mailing by  Certify that this document and	First Class Mail  fee is being deposited ne U.S. Postal Service as and is addressed to the ents, Washington, D.C.  g Correspondence  stafa
<b>CC.</b>			

يار . ٩